

Premium-Line Tips Compatibility with AHN Pipettes

Pipettor		AHN																																
Brand	pipet4u®											pipet4u® Revolution																						
Model	variable/single channel						fix/single channel					variable/ electronic single channel																						
Volume Range / Cat. No.	0.1-2.5 µl / 8-100-00-9	0.5-10 µl / 8-101-00-9	2-20 µl / 8-102-00-9	5-50 µl / 8-103-00-9	10-100 µl / 8-104-00-9	20-200 µl / 8-105-00-9	25-250 µl / 8-105-01-9	100-1000 µl / 8-106-00-9	200-1000 µl / 8-106-01-9	500-5000 µl / 8-107-00-9	2000-10000 µl / 8-108-00-9	5 µl / 8-001-00-9	10 µl / 8-002-00-9	20 µl / 8-003-00-9	25 µl / 8-004-00-9	50 µl / 8-007-00-9	100 µl / 8-008-00-9	200 µl / 8-009-00-9	250 µl / 8-010-00-9	500 µl / 8-011-00-9	1000 µl / 8-012-00-9	2000 µl / 8-013-00-9	2500 µl / 8-014-00-9	5000 µl / 8-015-00-9	10000 µl / 8-016-00-9	0.2-10 µl / 8-500-00-0	5-100 µl / 8-501-00-0	10-200 µl / 8-502-00-0	50-1000 µl / 8-503-00-0	100-5000 µl / 8-505-00-0				
Premium-Line Tips		Volume	Cat.No.																															
0.1-10 µl	4-000-60-0 4-000-81-0 4-000-96-0 4-001-60-0 4-001-96-0																																	
0.1-10 µl XL	4-060-96-0 4-061-96-0 4-060-60-0 4-060-81-0 4-061-60-0																																	
0.5-20 µl	4-050-60-0 4-050-81-0 4-050-96-0 4-051-60-0 4-051-96-0																																	
1-200 µl	4-110-60-0 4-110-81-0 4-110-96-0 4-111-60-0 4-111-96-0																																	
100-1000 µl long	4-200-50-0 4-200-80-0 4-200-96-0 4-201-50-0 4-201-96-0																																	

Tips Compatibility

CE IVD
metal-free
autoclavable
121° C | 15 min



Information correct at time of printing.

Premium-Line Tips Compatibility

with Eppendorf Pipettes

Pipettor		Eppendorf																																	
Brand		Reference										Research				Research plus																			
Model		variable/single channel					fix/single channel					variable/single channel				variable/single channel																			
Volume Range		0.1-2.5 µl (anthracit)	0.5-10 µl (grey)	2-20 µl (grey)	2-20 µl (yellow)	10-100 µl (yellow)	50-200 µl (yellow)	100-1000 µl (blue)	500-2500 µl (red)	1 µl (grey)	2 µl (grey)	5 µl (grey)	10 µl (grey)	10 µl (yellow)	20 µl (yellow)	25 µl (yellow)	50 µl (yellow)	100 µl (yellow)	200 µl (blue)	250 µl (blue)	500 µl (blue)	1000 µl (blue)	1500 µl (red)	2000 µl (red)	2500 µl (red)	0.1-2.5 µl (dark grey)	0.5-10 µl (grey)	10-100 µl (yellow)	20-200 µl (yellow)	100-1000 µl (blue)	500-5000 µl (violet)	2-20 µl (grey)	10-100 µl (yellow)	20-200 µl (yellow)	100-1000 µl (blue)
		Premium-Line Tips																																	
Volume	Cat-No.																																		
0.1-10 µl	4-000-60-0																																		
	4-000-81-0																																		
	4-000-96-0	■	■																																
	4-001-60-0																																		
	4-001-96-0																																		
0.1-10 µl XL	4-060-96-0																																		
	4-061-96-0																																		
	4-060-60-0	■	■																																
	4-060-81-0																																		
	4-061-60-0																																		
0.5-20 µl	4-050-60-0																																		
	4-050-81-0																																		
	4-050-96-0	■	■																																
	4-051-60-0																																		
	4-051-96-0																																		
1-200 µl	4-110-60-0																																		
	4-110-81-0																																		
	4-110-96-0	■	■	■																															
	4-111-60-0																																		
	4-111-96-0																																		
100-1000 µl long	4-200-50-0																																		
	4-200-80-0																																		
	4-200-96-0	■																																	
	4-201-50-0																																		
	4-201-96-0																																		

Tips Compatibility



metal-free

autoclavable
121° C | 15 min



Information correct at time of printing.

Premium-Line Tips Compatibility

with Gilson Pipettes

Pipettor		Gilson																			
Brand	Pipetman Classic	Fixed Pipetman																			
Model	variable/single channel	fix/single channel																			
Volume Range	0.2-2 µl (P2)	1-10 µl (P10)	2-20 µl (P20)	20-100 µl (P100)	50-200 µl (P200)	200-1000 µl (P1000)	1000-5000 µl (P5000)	1-10 ml (P10 ml)	2 µl (F2)	5 µl (F5)	10 µl (F10)	20 µl (F20)	25 µl (F2.5)	50 µl (F50)	100 µl (F100)	200 µl (F200)	250 µl (F250)	300 µl (F300)	400 µl (F400)	500 µl (F500)	1000 µl (F1000)
Premium-Line Tips																					
Volume	Cat-No.																				
0.1-10 µl	4-000-60-0																				
	4-000-81-0																				
	4-000-96-0	■	■																		
	4-001-60-0																				
	4-001-96-0																				
0.1-10 µl XL	4-060-96-0																				
	4-061-96-0																				
	4-060-60-0	■	■																		
	4-060-81-0																				
	4-061-60-0																				
0.5-20 µl	4-050-60-0																				
	4-050-81-0																				
	4-050-96-0																				
	4-051-60-0																				
	4-051-96-0																				
1-200 µl	4-110-60-0																				
	4-110-81-0																				
	4-110-96-0																				
	4-111-60-0																				
	4-111-96-0																				
100-1000 µl long	4-200-50-0																				
	4-200-80-0																				
	4-200-96-0																				
	4-201-50-0																				
	4-201-96-0																				

Tips Compatibility

CE IVD
metal-free
autoclavable
121° C | 15 min



Information correct at time of printing.

Premium-Line Tips Compatibility with Brand Pipettes

Pipettor		Brand																										
Brand		Transferpette																										
Model		variable/single channel				fix/single channel				variable/multi channel (8)			variable/multi channel (12)															
Volume Range		0.1-1 µl	0.5-10 µl	2-20 µl	5-50 µl	10-100 µl	100-1000 µl	500-5000 µl	10 µl	50 µl	100 µl	200 µl	250 µl	500 µl	1000 µl	2000 µl	0.5-10 µl	5-50 µl	10-100 µl	20-200 µl	30-300 µl	2-20 µl	10-100 µl	20-200 µl	30-300 µl			
Premium-Line Tips																												
Volume	Cat-No.																											
0.1-10 µl	4-000-60-0																											
	4-000-81-0																											
	4-000-96-0	■	■																									
	4-001-60-0																											
	4-001-96-0																											
0.1-10 µl XL	4-060-96-0																											
	4-061-96-0																											
	4-060-60-0																											
	4-060-81-0																											
	4-061-60-0																											
0.5-20 µl	4-050-60-0																											
	4-050-81-0																											
	4-050-96-0	■																										
	4-051-60-0																											
	4-051-96-0																											
1-200 µl	4-110-60-0																											
	4-110-81-0																											
	4-110-96-0																											
	4-111-60-0																											
	4-111-96-0																											
100-1000 µl long	4-200-50-0																											
	4-200-80-0																											
	4-200-96-0																											
	4-201-50-0																											
	4-201-96-0																											

Tips Compatibility



Information correct at time of printing.

Premium-Line Tips Compatibility

with Biohit Pipettes

Pipettor		Biohit																	
Brand		Proline																	
Model	variable/single channel	fix/single channel						variable/ multi channel (8)	variable/ multi channel (12)	variable/ electronic single channel	*1	*2							
Volume Range	0.5-10 µl 2-20 µl 5-50 µl 10-100 µl 20-200 µl 100-1000 µl	5 µl	10 µl	20 µl	25 µl	50 µl	100 µl	200 µl	250 µl	500 µl	1000 µl	2000 µl	5000 µl	0.5-10 µl 5-50 µl 50-300 µl	0.5-10 µl 5-50 µl 50-300 µl	5-100 µl 10-500 µl 50-1000 µl	100-5000 µl	5-100 µl	5-100 µl
Premium-Line Tips																			
Volume	Cat-No.																		
0.1-10 µl	4-000-60-0 4-000-81-0 4-000-96-0 4-001-60-0 4-001-96-0	■												■		■			
0.1-10 µl XL	4-060-96-0 4-061-96-0 4-060-60-0 4-060-81-0 4-061-60-0																		
0.5-20 µl	4-050-60-0 4-050-81-0 4-050-96-0 4-051-60-0 4-051-96-0	■												■		■			
1-200 µl	4-110-60-0 4-110-81-0 4-110-96-0 4-111-60-0 4-111-96-0		■	■	■	■		■	■	■	■				■		■		■
100-1000 µl long	4-200-50-0 4-200-80-0 4-200-96-0 4-201-50-0 4-201-96-0								■	■	■						■		

*1 variable/ electronic multi channel (8)
*2 variable/ electronic multi channel (12)

Tips Compatibility



Information correct at time of printing.

Premium-Line Tips Compatibility with Socorex Pipettes

Pipettor		Socorex					
Brand		Calibra digital 822 micro				Calibra digital 832 macro	Calibra digital 852 multi
Model		variable/single channel				vari- able/ single channel	variable/ multi channel
Volume Range		0.2-2 µl	1-10 µl	1-10 µl	2-20 µl	10-100 µl	20-200 µl
		0.2-2 ml	1-10 ml	1-10 µl	10-100 µl	20-200 µl	
Premium-Line Tips							
Volume	Cat-No.						
0.1-10 µl	4-000-60-0						
	4-000-81-0	■					
	4-000-96-0						■
	4-001-60-0						
	4-001-96-0						
0.1-10 µl XL	4-060-96-0						
	4-061-96-0						
	4-060-60-0						
	4-060-81-0						
	4-061-60-0						
0.5-20 µl	4-050-60-0						
	4-050-81-0	■					
	4-050-96-0		■				
	4-051-60-0						■
	4-051-96-0						
1-200 µl	4-110-60-0						
	4-110-81-0						
	4-110-96-0		■	■	■	■	
	4-111-60-0						■
	4-111-96-0						■
100-1000 µl long	4-200-50-0						
	4-200-80-0						
	4-200-96-0						
	4-201-50-0						
	4-201-96-0						

Tips Compatibility



Information correct at time of printing.

Premium-Line Tips Compatibility with HTL Pipettes

Pipettor		HTL																																													
Brand		Labmate pro						Clinipet*																																							
Model		variable/single channel						fix/single channel																																							
Volume Range																																															
		0.2-2 µl (red)	0.5-10 µl (red)	2-20 µl (yellow)	10-100 µl (yellow)	20-200 µl (yellow)	100-1000 µl (blue)	1000-5000 µl (white)	2 µl (yellow)	5 µl (yellow)	7 µl (yellow)	10 µl (yellow)	15 µl (yellow)	20 µl (yellow)	25 µl (yellow)	30 µl (yellow)	40 µl (yellow)	44.7 µl (yellow)	50 µl (yellow)	60 µl (yellow)	70 µl (yellow)	75 µl (yellow)	80 µl (yellow)	90 µl (yellow)	120 µl (yellow)	150 µl (yellow)	200 µl (yellow)	200 µl (blue)	220 µl (blue)	250 µl (blue)	300 µl (blue)	400 µl (blue)	450 µl (blue)	500 µl (blue)	600 µl (blue)	700 µl (blue)	750 µl (blue)	800 µl (blue)	900 µl (blue)	1000 µl (blue)							
Premium-Line Tips																																															
Volume	Cat.-No.																																														
0.1-10 µl	4-000-60-0 4-000-81-0 4-000-96-0 4-001-60-0 4-001-96-0		■	■																																											
0.1-10 µl XL	4-060-96-0 4-061-96-0 4-060-60-0 4-060-81-0 4-061-60-0																																														
0.5-20 µl	4-050-60-0 4-050-81-0 4-050-96-0 4-051-60-0 4-051-96-0		■	■																																											
1-200 µl	4-110-60-0 4-110-81-0 4-110-96-0 4-111-60-0 4-111-96-0		■	■	■			■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	
100-1000 µl long	4-200-50-0 4-200-80-0 4-200-96-0 4-201-50-0 4-201-96-0						■																					■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	

Tips Compatibility



Information correct at time of printing.

Premium-Line Filter Tips Compatibility with AHN Pipettes

Pipettor		AHN																																						
Brand		pipet4u®																pipet4u® Revolution																						
Model		variable/single channel									fix/single channel							variable/ electronic single channel																						
Volume Range / Cat. No.		0.1-2.5 µl / 8-100-00-9	0.5-10 µl / 8-101-00-9	2-20 µl / 8-102-00-9	5-50 µl / 8-103-00-9	10-100 µl / 8-104-00-9	20-200 µl / 8-105-00-9	50-200 µl / 8-105-01-9	25-250 µl / 8-105-02-9	100-1000 µl / 8-106-00-9	200-1000 µl / 8-106-01-9	500-5000 µl / 8-107-00-9	2000-10000 µl / 8-108-00-9	5 µl / 8-001-00-9	10 µl / 8-002-00-9	20 µl / 8-003-00-9	25 µl / 8-004-00-9	50 µl / 8-007-00-9	100 µl / 8-008-00-9	200 µl / 8-009-00-9	250 µl / 8-010-00-9	500 µl / 8-011-00-9	1000 µl / 8-012-00-9	2000 µl / 8-013-00-9	2500 µl / 8-014-00-9	5000 µl / 8-015-00-9	10000 µl / 8-016-00-9	0.2-10 µl / 8-500-00-0	5-100 µl / 8-501-00-0	10-200 µl / 8-502-00-0	50-1000 µl / 8-503-00-0	100-5000 µl / 8-505-00-0								
Premium-Line Filter Tips																																								
Volume	Cat.No.																																							
0.1-10 µl	5-001-96-0 5-001-70-0																																							
0.1-10 µl XL	5-061-96-0 5-061-70-0																																							
0.5-20 µl	5-051-96-0 5-051-70-0																																							
1-20 µl	5-114-96-0 5-114-70-0																																							
1-30 µl	5-116-96-0 5-116-70-0																																							
1-50 µl	5-111-96-0 5-111-70-0																																							
1-100 µl	5-112-96-0 5-112-70-0																																							
1-200 µl	5-113-96-0 5-113-70-0																																							
100-1000 µl long	5-201-96-0 5-201-70-0																																							

Filter Tips Compatibility

CE IVD
metal-free
autoclavable
121° C | 15 min

CERTIFIED
FREE
RNeasy/Nase • Human DNA
P3060s • PCR Inhibitors

Information correct at time of printing.

AHN Biotechnology GmbH

Premium-Line Filter Tips Compatibility

with Eppendorf Pipettes

Pipettor		Eppendorf																																										
Brand		Reference												Research				Research plus																										
Model		variable/single channel					fix/single channel							variable/single channel				variable/single channel																										
Volume Range		0.1-2.5 µl (anthracite)	0.5-10 µl (grey)	2-20 µl (grey)	2-20 µl (yellow)	10-100 µl (yellow)	50-200 µl (yellow)	100-1000 µl (blue)	500-2500 µl (red)	1 µl (grey)	2 µl (grey)	5 µl (grey)	10 µl (grey)	10 µl (yellow)	20 µl (yellow)	25 µl (yellow)	50 µl (yellow)	100 µl (yellow)	200 µl (blue)	250 µl (blue)	500 µl (blue)	1000 µl (blue)	1500 µl (red)	2000 µl (red)	2500 µl (red)	0.1-2.5 µl (dark grey)	0.5-10 µl (grey)	2-20 µl (yellow)	10-100 µl (yellow)	20-200 µl (yellow)	100-1000 µl (blue)	500-5000 µl (violet)	2-20 µl (grey)	10-100 µl (yellow)	20-200 µl (yellow)	100-1000 µl (blue)								
Premium-Line Filter Tips																																												
Volume	Cat.No.																																											
0.1-10 µl	5-001-96-0 5-001-70-0	■	■						■	■	■	■															■							■										
0.1-10 µl XL	5-061-96-0 5-061-70-0	■	■						■	■	■	■															■	■							■									
0.5-20 µl	5-051-96-0 5-051-70-0	■	■	■					■	■	■	■															■	■							■									
1-20 µl	5-114-96-0 5-114-70-0			■	■								■	■																									■	■				
1-30 µl	5-116-96-0 5-116-70-0				■											■																							■	■				
1-50 µl	5-111-96-0 5-111-70-0					■	■									■	■													■	■								■	■				
1-100 µl	5-112-96-0 5-112-70-0					■	■											■											■	■									■	■				
1-200 µl	5-113-96-0 5-113-70-0						■																								■										■			
100-1000 µl long	5-201-96-0 5-201-70-0							■											■																							■		

Filter Tips Compatibility



metal-free

autoclavable
121° C | 15 min



Information correct at time of printing.

Premium-Line Filter Tips Compatibility

with Gilson Pipettes

Pipettor		Gilson																					
Brand		Pipetman Classic						Fixed Pipetman															
Model		variable/single channel						fix/single channel															
Volume Range		0.2-2 µl (P2)	1-10 µl (P10)	2-20 µl (P20)	20-100 µl (P100)	50-200 µl (P200)	200-1000 µl (P1000)	1000-5000 µl (P5000)	1-10 ml (P10 ml)	2 µl (F2)	5 µl (F5)	10 µl (F10)	20 µl (F20)	25 µl (F25)	50 µl (F50)	100 µl (F100)	200 µl (F200)	250 µl (F250)	300 µl (F300)	400 µl (F400)	500 µl (F500)	1000 µl (F1000)	
Premium-Line Filter Tips																							
Volume	Cat-No.																						
0.1-10 µl	5-001-96-0	■	■							■	■	■											
	5-001-70-0																						
0.1-10 µl XL	5-061-96-0	■	■							■	■	■											
	5-061-70-0																						
0.5-20 µl	5-051-96-0	■	■							■	■	■											
	5-051-70-0																						
1-20 µl	5-114-96-0			■	■	■						■											
	5-114-70-0																						
1-30 µl	5-116-96-0				■																		
	5-116-70-0																						
1-50 µl	5-111-96-0				■									■									
	5-111-70-0																						
1-100 µl	5-112-96-0				■	■									■								
	5-112-70-0																						
1-200 µl	5-113-96-0				■																		
	5-113-70-0																						
100-1000 µl long	5-201-96-0					■											■	■	■	■	■	■	■
	5-201-70-0																						

Filter Tips Compatibility



Information correct at time of printing.

Premium-Line Filter Tips Compatibility

with Brand Pipettes

Pipettor		Brand																									
Brand		Transferpette																									
Model		variable/single channel				fix/single channel				variable/multi channel (8)			variable/multi channel (12)														
Volume Range		0.1-1 µl	0.5-10 µl	2-20 µl	5-50 µl	10-100 µl	100-1000 µl	500-5000 µl	10 µl	50 µl	100 µl	200 µl	200 µl	250 µl	500 µl	1000 µl	2000 µl	0.5-10 µl	5-50 µl	10-100 µl	20-200 µl	30-300 µl	2-20 µl	10-100 µl	20-200 µl	30-300 µl	
Premium-Line Filter Tips																											
Volume	Cat-No.																										
0.1-10 µl	5-001-96-0	■	■																								
	5-001-70-0								■																		
0.1-10 µl XL	5-061-96-0																										
	5-061-70-0																										
0.5-20 µl	5-051-96-0		■															■									
	5-051-70-0								■																		
1-20 µl	5-114-96-0			■	■	■													■	■	■				■	■	■
	5-114-70-0																										
1-30 µl	5-116-96-0				■	■													■	■	■			■	■	■	
	5-116-70-0																										
1-50 µl	5-111-96-0				■	■				■									■	■	■			■	■	■	■
	5-111-70-0																										
1-100 µl	5-112-96-0					■					■									■	■	■			■	■	■
	5-112-70-0																										
1-200 µl	5-113-96-0																				■	■				■	■
	5-113-70-0																										
100-1000 µl long	5-201-96-0						■				■	■	■	■													
	5-201-70-0																										

Filter Tips Compatibility



Information correct at time of printing.

Premium-Line Filter Tips Compatibility

with Biohit Pipettes

Pipettor		Biohit																															
Brand		Proline																															
Model		variable/single channel				fix/single channel						variable/ multi channel (8)		variable/ multi channel (12)		variable/ electronic single channel		*1	*2														
Volume Range		0.5-10 µl	2-20 µl	5-50 µl	10-100 µl	20-200 µl	100-1000 µl	1000-5000 µl	5 µl	10 µl	20 µl	25 µl	50 µl	100 µl	200 µl	250 µl	500 µl	1000 µl	2000 µl	5000 µl	0.5-10 µl	5-50 µl	50-300 µl	0.5-10 µl	5-50 µl	50-300 µl	5-100 µl	10-500 µl	50-1000 µl	100-5000 µl	5-100 µl	5-100 µl	
Premium-Line Filter Tips																																	
Volume	Cat-No.																																
0.1-10 µl	5-001-96-0 5-001-70-0	■							■	■											■												
0.1-10 µl XL	5-061-96-0 5-061-70-0																																
0.5-20 µl	5-051-96-0 5-051-70-0	■							■	■											■												
1-20 µl	5-114-96-0 5-114-70-0	■	■	■	■					■	■										■			■			■					■	■
1-30 µl	5-116-96-0 5-116-70-0		■	■	■					■	■										■			■		■						■	■
1-50 µl	5-111-96-0 5-111-70-0		■	■	■							■									■	■		■	■	■	■					■	■
1-100 µl	5-112-96-0 5-112-70-0			■	■								■										■		■	■	■					■	■
1-200 µl	5-113-96-0 5-113-70-0				■																		■		■								
100-1000 µl long	5-201-96-0 5-201-70-0					■									■	■	■										■	■					

*1 variable/ electronic multi channel (8)
 *2 variable/ electronic multi channel (12)

Filter Tips Compatibility



Information correct at time of printing.

Premium-Line Filter Tips Compatibility

with Socorex Pipettes

Pipettor		Socorex											
Brand		Calibra digital 822 micro				Calibra digital 832 macro	Calibra digital 852 multi						
Model		variable/single channel				vari- able/ single channel	variable/ multi channel						
Volume Range		0.2-2 µl	1-10 µl	1-10 µl	2-20 µl	10-100 µl	20-200 µl	100-1000 µl	0.2-2 ml	1-10 ml	1-10 µl	10-100 µl	20-200 µl
Premium-Line Filter Tips													
Volume	Cat-No.												
0.1-10 µl	5-001-96-0 5-001-70-0												
0.1-10 µl XL	5-061-96-0 5-061-70-0												
0.5-20 µl	5-051-96-0 5-051-70-0	■	■								■		
1-20 µl	5-114-96-0 5-114-70-0		■	■	■	■					■	■	
1-30 µl	5-116-96-0 5-116-70-0				■	■					■	■	
1-50 µl	5-111-96-0 5-111-70-0				■	■					■	■	
1-100 µl	5-112-96-0 5-112-70-0				■	■					■	■	
1-200 µl	5-113-96-0 5-113-70-0					■						■	
100-1000 µl long	5-201-96-0 5-201-70-0						■						

Filter Tips Compatibility



Information correct at time of printing.

Premium-Line Filter Tips Compatibility with HTL Pipettes

Pipettor		HTL																																							
Brand	Labmate pro							Clinipet*																																	
Model	variable/single channel							fix/single channel																																	
Volume Range	0.2-2 µl (red)	0.5-10 µl (red)	2-20 µl (yellow)	10-100 µl (yellow)	20-200 µl (yellow)	100-1000 µl (blue)	1000-5000 µl (white)	2 µl (yellow)	5 µl (yellow)	7 µl (yellow)	10 µl (yellow)	15 µl (yellow)	20 µl (yellow)	25 µl (yellow)	30 µl (yellow)	40 µl (yellow)	44.7 µl (yellow)	50 µl (yellow)	60 µl (yellow)	70 µl (yellow)	75 µl (yellow)	80 µl (yellow)	90 µl (yellow)	120 µl (yellow)	150 µl (yellow)	200 µl (yellow)	200 µl (blue)	220 µl (blue)	250 µl (blue)	300 µl (blue)	400 µl (blue)	450 µl (blue)	500 µl (blue)	600 µl (blue)	700 µl (blue)	750 µl (blue)	800 µl (blue)	900 µl (blue)	1000 µl (blue)		
Premium-Line Filter Tips																																									
Volume	Cat.No.																																								
0.1-10 µl	5-001-96-0																																								
	5-001-70-0																																								
0.1-10 µl XL	5-061-96-0																																								
	5-061-70-0																																								
0.5-20 µl	5-051-96-0																																								
	5-051-70-0																																								
1-20 µl	5-114-96-0																																								
	5-114-70-0																																								
1-30 µl	5-116-96-0																																								
	5-116-70-0																																								
1-50 µl	5-111-96-0																																								
	5-111-70-0																																								
1-100 µl	5-112-96-0																																								
	5-112-70-0																																								
1-200 µl	5-113-96-0																																								
	5-113-70-0																																								
100-1000 µl long	5-201-96-0																																								
	5-201-70-0																																								

Filter Tips Compatibility



Information correct at time of printing.