

Top-Line® Tips and Macro-Line® Tips Compatibility with AHN Pipettes

Pipettor		AHN																																					
Brand		pipet4u®										pipet4u® Revolution																											
Model		variable/single channel					fix/single channel					variable/ electronic single channel																											
Volume Range / Cat. No.		0.1-2.5 µl / 8-100-00-9		0.5-10 µl / 8-101-00-9		2-20 µl / 8-102-00-9		5-50 µl / 8-103-00-9		10-100 µl / 8-104-00-9		20-200 µl / 8-105-00-9		25-250 µl / 8-105-02-9		100-1000 µl / 8-106-00-9		200-1000 µl / 8-106-01-9		500-5000 µl / 8-107-00-9		2000-10000 µl / 8-108-00-9																	
		5 µl / 8-001-00-9		10 µl / 8-002-00-9		20 µl / 8-003-00-9		25 µl / 8-004-00-9		50 µl / 8-007-00-9		100 µl / 8-008-00-9		200 µl / 8-009-00-9		250 µl / 8-010-00-9		500 µl / 8-011-00-9		1000 µl / 8-012-00-9		2000 µl / 8-013-00-9		2500 µl / 8-014-00-9		5000 µl / 8-015-00-9		10000 µl / 8-016-00-9		0.2-10 µl / 8-500-00-0		5-100 µl / 8-501-00-0		10-200 µl / 8-502-00-0		50-1000 µl / 8-503-00-0		100-5000 µl / 8-505-00-0	
		Top-Line® Tips																																					
Volume	Cat.No.																																						
0.1-10 µl	1-000-60-0																																						
	1-000-81-0																																						
	1-000-96-0																																						
	1-001-60-0																																						
	1-001-96-0																																						
0.1-10 µl XL	1-060-96-0																																						
	1-061-96-0																																						
	1-060-60-0																																						
	1-060-81-0																																						
	1-061-60-0																																						
0.5-20 µl	1-050-60-0																																						
	1-050-81-0																																						
	1-050-96-0																																						
	1-051-60-0																																						
	1-051-96-0																																						
1-200 µl	1-110-60-0																																						
	1-110-60-1																																						
	1-110-81-0																																						
	1-110-81-1																																						
	1-110-96-0																																						
	1-110-96-1																																						
	1-111-60-0																																						
	1-111-96-0																																						
	1-100-81-1																																						
1-200 µl Gelfoader	1-130-50-0																																						
	1-131-50-0																																						
	1-130-96-0																																						
	1-131-96-0																																						
5-300 µl	1-103-60-0																																						
	1-103-81-0																																						
	1-103-96-0																																						
	1-104-60-0																																						
100-1000 µl short	1-209-50-2																																						
	1-209-80-2																																						
	1-209-06-2																																						
	1-207-50-2																																						
	1-207-06-2																																						
100-1000 µl long	1-200-50-0																																						
	1-200-80-0																																						
	1-200-50-2																																						
	1-200-80-2																																						
	1-200-96-0																																						
	1-200-96-2																																						
	1-201-50-0																																						
	1-201-96-0																																						
Macro-Line® Tips																																							
1-5 ml	1-210-84-0																																						
	1-214-84-0																																						
1-5 ml	1-211-84-0																																						
	1-215-84-0																																						
1-5.5 ml	1-212-84-0																																						
	1-216-84-0																																						
1-10 ml	1-213-50-0																																						
	1-217-50-0																																						



metal-free

autoclavable 121° C | 15 min



Top-Line® Tips and Macro-Line® Tips Compatibility with Gilson Pipettes

Pipettor		Gilson																					
Brand		Pipetman Classic					Fixed Pipetman																
Model		variable/single channel					fix/single channel																
Volume Range		0.2-2 µl (P2)	1-10 µl (P10)	2-20 µl (P20)	20-100 µl (P100)	50-200 µl (P200)	200-1000 µl (P1000)	1000-5000 µl (P5000)	1-10 ml (P10 ml)	2 µl (F2)	5 µl (F5)	10 µl (F10)	20 µl (F20)	25 µl (F25)	50 µl (F50)	100 µl (F100)	200 µl (F200)	250 µl (F250)	300 µl (F300)	400 µl (F400)	500 µl (F500)	1000 µl (F1000)	
Top-Line® Tips																							
Volume	Cat.No.																						
0.1-10 µl	1-000-60-0 1-000-81-0 1-000-96-0 1-001-60-0 1-001-96-0	■	■						■	■	■												
0.1-10 µl XL	1-060-96-0 1-061-96-0 1-060-60-0 1-060-81-0 1-061-60-0	■	■						■	■	■												
0.5-20 µl	1-050-60-0 1-050-81-0 1-050-96-0 1-051-60-0 1-051-96-0		■						■	■	■												
1-200 µl	1-110-60-0 1-110-60-1 1-110-81-0 1-110-81-1 1-110-96-0 1-110-96-1 1-111-60-0 1-111-96-0 1-100-81-1		■	■	■					■		■	■	■									
1-200 µl Gelloader	1-130-50-0 1-131-50-0 1-130-96-0 1-131-96-0																						
5-300 µl	1-103-60-0 1-103-81-0 1-103-96-0 1-104-60-0 1-104-96-0			■	■							■	■	■									
100-1000 µl short	1-209-50-2 1-209-80-2 1-209-06-2 1-207-50-2 1-207-06-2																						
100-1000 µl long	1-200-50-0 1-200-80-0 1-200-50-2 1-200-80-2 1-200-96-0 1-200-96-2 1-201-50-0 1-201-96-0					■										■	■	■	■				
Macro-Line® Tips																							
1.5 ml	1-210-84-0 1-214-84-0																						
1.5 ml	1-211-84-0 1-215-84-0						■																
1.5-5 ml	1-212-84-0 1-216-84-0																						
1-10 ml	1-213-50-0 1-217-50-0						■																



Top-Line® Tips and Macro-Line® Tips Compatibility with Brand Pipettes

Pipettor		Brand																									
Brand		Transferpette																									
Model		variable/single channel				fix/single channel				variable/multi channel (8)		variable/multi channel (12)															
Volume Range		0.1-1 µl	0.5-10 µl	2-20 µl	5-50 µl	10-100 µl	100-1000 µl	500-5000 µl	10 µl	50 µl	100 µl	200 µl	250 µl	500 µl	1000 µl	2000 µl	0.5-10 µl	5-50 µl	10-100 µl	20-200 µl	30-300 µl	2-20 µl	10-100 µl	20-200 µl	30-300 µl		
Top-Line® Tips																											
Volume	Cat-No.																										
0.1-10 µl	1-000-60-0 1-000-81-0 1-000-96-0 1-001-60-0 1-001-96-0	■	■						■								■										
0.1-10 µl XL	1-060-96-0 1-061-96-0 1-060-60-0 1-060-81-0 1-061-60-0																										
0.5-20 µl	1-050-60-0 1-050-81-0 1-050-96-0 1-051-60-0 1-051-96-0 1-052-96-0		■						■								■					■					
1-200 µl	1-110-60-0 1-110-60-1 1-110-81-0 1-110-81-1 1-110-96-0 1-110-96-1 1-111-60-0 1-111-96-0 1-100-81-1			■	■	■			■	■	■								■	■	■			■	■		
1-200 µl Gelfoader	1-130-50-0 1-131-50-0 1-130-96-0 1-131-96-0																										
5-300 µl	1-103-60-0 1-103-81-0 1-103-96-0 1-104-60-0 1-104-96-0																				■					■	
100-1000 µl short	1-209-50-2 1-209-80-2 1-209-06-2 1-207-50-2 1-207-06-2																										
100-1000 µl long	1-200-50-0 1-200-80-0 1-200-50-2 1-200-80-2 1-200-96-0 1-200-96-2 1-201-50-0 1-201-96-0					■						■	■	■	■												
Macro-Line® Tips																											
1-5 ml	1-210-84-0 1-214-84-0																										
1-5 ml	1-211-84-0 1-215-84-0																										
1-5,5 ml	1-212-84-0 1-216-84-0					■											■										
1-10 ml	1-213-50-0 1-217-50-0																										

Tips Compatibility



Information correct at time of printing.

Top-Line® Tips and Macro-Line® Tips Compatibility with Biohit Pipettes

Pipettor		Biohit																																			
Brand		Proline																																			
Model		variable/single channel		fix/single channel						variable/multi channel (8)		variable/multi channel (12)		variable/electronic single channel		*1	*2																				
Volume Range		0.5-10 µl	2-20 µl	5-50 µl	10-100 µl	20-200 µl	100-1000 µl	1000-5000 µl	5 µl	10 µl	20 µl	25 µl	50 µl	100 µl	200 µl	250 µl	500 µl	1000 µl	2000 µl	5000 µl	0.5-10 µl	5-50 µl	50-300 µl	0.5-10 µl	5-50 µl	50-300 µl	5-100 µl	10-500 µl	50-1000 µl	100-5000 µl	5-100 µl	5-100 µl					
		Top-Line® Tips																																			
Volume	Cat-No.																																				
0.1-10 µl	1-000-60-0 1-000-81-0 1-000-96-0 1-001-60-0 1-001-96-0	■							■	■																											
0.1-10 µl XL	1-060-96-0 1-061-96-0 1-060-60-0 1-060-81-0 1-061-60-0																																				
0.5-20 µl	1-050-60-0 1-050-81-0 1-050-96-0 1-051-60-0 1-051-96-0 1-052-96-0	■							■	■																	■	■									
1-200 µl	1-110-60-0 1-110-60-1 1-110-81-0 1-110-81-1 1-110-96-0 1-110-96-1 1-111-60-0 1-111-96-0 1-100-81-1	■	■	■	■					■	■	■	■	■	■													■								■	■
1-200 µl Gelloader	1-130-50-0 1-131-50-0 1-130-96-0 1-131-96-0																																				
5-300 µl	1-103-60-0 1-103-81-0 1-103-96-0 1-104-60-0 1-104-96-0		■		■	■					■	■	■	■	■												■	■	■							■	■
100-1000 µl short	1-209-50-2 1-209-80-2 1-209-06-2 1-207-50-2 1-207-06-2																																				
100-1000 µl long	1-200-50-0 1-200-80-0 1-200-50-2 1-200-80-2 1-200-96-0 1-200-96-2 1-201-50-0 1-201-96-0																■	■	■										■								
		Macro-Line® Tips																																			
1-5 ml	1-210-84-0 1-214-84-0							■																											■		
1-5 ml	1-211-84-0 1-215-84-0																																				
1-5.5 ml	1-212-84-0 1-216-84-0																																				
1-10 ml	1-213-50-0 1-217-50-0																																				

*1 variable/ electronic multi channel (8)
*2 variable/ electronic multi channel (12)



Tips Compatibility

Information correct at time of printing.

Top-Line® Tips and Macro-Line® Tips Compatibility with Socorex Pipettes

Pipettor		Socorex			
Brand		Calibra digital 822 micro	Calibra digital 832 macro	Calibra digital 852 multi	
Model		variable/single channel		vari-able/ single channel	vari-able/ multi channel
Volume Range		0.2-2 µl	1-10 µl	1-10 µl	10-100 µl 20-200 µl
Top-Line® Tips					
Volume	Cat-No.				
0.1-10 µl	1-000-60-0				
	1-000-81-0				
	1-000-96-0	■			■
	1-001-60-0				
	1-001-96-0				
0.1-10 µl XL	1-060-96-0				
	1-061-96-0				
	1-060-60-0				
	1-060-81-0				
	1-061-60-0				
0.5-20 µl	1-050-60-0				
	1-050-81-0				
	1-050-96-0	■	■		■
	1-051-60-0				
	1-051-96-0				
1-200 µl	1-110-60-0				
	1-110-60-1				
	1-110-81-0				
	1-110-81-1				
	1-110-96-0		■	■	■
	1-110-96-1		■	■	■
	1-111-60-0				
	1-111-96-0				
	1-100-81-1				■
	1-100-81-1				■
1-200 µl Gelfoader	1-130-50-0				
	1-131-50-0				
	1-130-96-0				
	1-131-96-0				
5-300 µl	1-103-60-0				
	1-103-81-0				
	1-103-96-0				
	1-104-60-0				
100-1000 µl short	1-209-50-2				
	1-209-80-2				
	1-209-06-2				
	1-207-50-2				
	1-207-06-2				
100-1000 µl long	1-200-50-0				
	1-200-80-0				
	1-200-50-2				
	1-200-80-2				
	1-200-96-0				
	1-200-96-2				
	1-201-50-0				
	1-201-96-0				
	1-201-96-0				
Macro-Line® Tips					
1.5 ml	1-210-84-0				
	1-214-84-0				
1.5 ml	1-211-84-0				
	1-215-84-0			■	
1.5-5 ml	1-212-84-0				
	1-216-84-0				
1-10 ml	1-213-50-0				■
	1-217-50-0				

Tips Compatibility

CE IVD
metal-free
autoclavable
121° C | 15 min



Information correct at time of printing.

Top-Line® Filter Tips Compatibility

with AHN Pipettes

Pipettor		AHN																																																													
Brand		pipet4u®										pipet4u® Revolution																																																			
Model		variable/single channel						fix/single channel						variable/ electronic single channel																																																	
Volume Range / Cat. No.		0.1-2.5 µl / 8-100-00-9		0.5-10 µl / 8-101-00-9		2-20 µl / 8-102-00-9		5-50 µl / 8-103-00-9		10-100 µl / 8-104-00-9		20-200 µl / 8-105-00-9		50-200 µl / 8-105-01-9		25-250 µl / 8-105-02-9		100-1000 µl / 8-106-00-9		200-1000 µl / 8-106-01-9		500-5000 µl / 8-107-00-9		2000-10000 µl / 8-108-00-9		5 µl / 8-001-00-9		10 µl / 8-002-00-9		20 µl / 8-003-00-9		25 µl / 8-004-00-9		50 µl / 8-007-00-9		100 µl / 8-008-00-9		200 µl / 8-009-00-9		250 µl / 8-010-00-9		500 µl / 8-011-00-9		1000 µl / 8-012-00-9		2000 µl / 8-013-00-9		2500 µl / 8-014-00-9		5000 µl / 8-015-00-9		10000 µl / 8-016-00-9		0.2-10 µl / 8-500-00-0		5-100 µl / 8-501-00-0		10-200 µl / 8-502-00-0		50-1000 µl / 8-503-00-0		100-5000 µl / 8-505-00-0	
Top-Line® Filter Tips																																																															
Volume	Cat.No.																																																														
0.1-10 µl	2-000-96-0																																																														
	2-001-96-0																																																														
	2-000-70-0																																																														
	2-001-70-0																																																														
0.1-10 µl XL	2-060-96-0																																																														
	2-061-96-0																																																														
	2-060-70-0																																																														
	2-061-70-0																																																														
0.5-10 µl	2-050-96-0																																																														
	2-051-96-0																																																														
	2-050-70-0																																																														
	2-051-70-0																																																														
0.5-20 µl	2-053-96-0																																																														
	2-053-70-0																																																														
1-30 µl Gelloader	2-130-96-0																																																														
	2-131-96-0																																																														
1-100 µl Gelloader	2-132-96-0																																																														
	2-133-96-0																																																														
1-20 µl	2-124-96-0																																																														
	2-114-96-0																																																														
	2-124-70-0																																																														
	2-114-70-0																																																														
1-30 µl	2-116-96-0																																																														
	2-126-96-0																																																														
	2-126-70-0																																																														
	2-116-70-0																																																														
1-50 µl	2-111-96-0																																																														
	2-121-96-0																																																														
	2-121-70-0																																																														
	2-111-70-0																																																														
1-100 µl	2-112-96-0																																																														
	2-122-96-0																																																														
	2-122-70-0																																																														
	2-112-70-0																																																														
1-200 µl	2-113-96-0																																																														
	2-123-96-0																																																														
	2-123-70-0																																																														
	2-113-70-0																																																														
5-230 µl	2-115-96-0																																																														
	2-125-96-0																																																														
	2-125-70-0																																																														
	2-115-70-0																																																														
100-1000 µl short	2-209-06-0																																																														
	2-210-06-0																																																														
	2-209-70-2																																																														
	2-210-70-2																																																														
100-1000 µl long	2-201-96-0																																																														
	2-211-96-0																																																														
	2-211-70-0																																																														
	2-201-70-0																																																														

Filter Tips Compatibility



Information correct at time of printing.

Top-Line® Filter Tips Compatibility

with Eppendorf Pipettes

Pipettor		Eppendorf																																					
Brand		Reference														Research					Research plus																		
Model		variable/single channel							fix/single channel							variable/single channel					variable/single channel																		
Volume Range		0.1-2.5 µl (anthracit)	0.5-10 µl (gray)	2-20 µl (gray)	2-20 µl (yellow)	10-100 µl (yellow)	50-200 µl (yellow)	100-1000 µl (blue)	500-2500 µl (red)	1 µl (gray)	2 µl (gray)	5 µl (gray)	10 µl (gray)	10 µl (yellow)	20 µl (yellow)	25 µl (yellow)	50 µl (yellow)	100 µl (yellow)	200 µl (blue)	250 µl (blue)	500 µl (blue)	1000 µl (blue)	1500 µl (red)	2000 µl (red)	2500 µl (red)	0.1-2.5 µl (dark gray)	0.5-10 µl (gray)	2-20 µl (yellow)	10-100 µl (yellow)	20-200 µl (yellow)	100-1000 µl (blue)	500-5000 µl (violet)	2-20 µl (gray)	10-100 µl (yellow)	20-200 µl (yellow)	100-1000 µl (blue)			
		Top-Line® Filter Tips																																					
Volume	Cat-No.																																						
0.1-10 µl	2-000-96-0																																						
	2-001-96-0																																						
	2-000-70-0	■	■																																				
	2-001-70-0																																						
0.1-10 µl XL	2-060-96-0																																						
	2-061-96-0	■	■																																				
	2-060-70-0																																						
	2-061-70-0																																						
0.5-10 µl	2-050-96-0																																						
	2-051-96-0																																						
	2-050-70-0	■	■	■																																			
	2-051-70-0																																						
0.5-20 µl	2-053-96-0	■	■	■																																			
	2-053-70-0	■	■	■	■																																		
1-30 µl Gelloader	2-130-96-0																																						
	2-131-96-0																																						
1-100 µl Gelloader	2-132-96-0																																						
	2-133-96-0																																						
1-20 µl	2-124-96-0																																						
	2-114-96-0																																						
	2-124-70-0	■	■																																				
	2-114-70-0																																						
1-30 µl	2-116-96-0																																						
	2-126-96-0																																						
	2-126-70-0																																						
	2-116-70-0																																						
1-50 µl	2-111-96-0																																						
	2-121-96-0																																						
	2-121-70-0	■	■																																				
	2-111-70-0																																						
1-100 µl	2-112-96-0																																						
	2-122-96-0																																						
	2-122-70-0	■	■																																				
	2-112-70-0																																						
1-200 µl	2-113-96-0																																						
	2-123-96-0																																						
	2-123-70-0																																						
	2-113-70-0																																						
5-230 µl	2-115-96-0																																						
	2-125-96-0																																						
	2-125-70-0																																						
	2-115-70-0																																						
100-1000 µl short	2-209-06-0																																						
	2-210-06-0																																						
	2-209-70-2																																						
	2-210-70-2																																						
100-1000 µl long	2-201-96-0																																						
	2-211-96-0																																						
	2-211-70-0																																						
	2-201-70-0	■																																					



metal-free

autoclavable
121° C | 15 min



Top-Line® Filter Tips Compatibility

with Gilson Pipettes

Pipettor		Gilson										
Brand	Pipetman Classic	Fixed Pipetman										
Model	variable/single channel	fix/single channel										
Volume Range	0.2-2 µl (P2) 1-10 µl (P10) 2-20 µl (P20) 20-100 µl (P100) 50-200 µl (P200) 200-1000 µl (P1000) 1000-5000 µl (P5000) 1-10 ml (P10 ml)	2 µl (F2) 5 µl (F5) 10 µl (F10) 20 µl (F20) 25 µl (F25) 50 µl (F50) 100 µl (F100) 200 µl (F200) 250 µl (F250) 300 µl (F300) 400 µl (F400) 500 µl (F500) 1000 µl (F1000)										
Top-Line® Filter Tips												
Volume	Cat-No.											
0.1-10 µl	2-000-96-0											
	2-001-96-0	■	■									
	2-000-70-0											
	2-001-70-0											
0.1-10 µl XL	2-060-96-0	■	■									
	2-061-96-0											
	2-060-70-0											
	2-061-70-0											
0.5-10 µl	2-050-96-0											
	2-051-96-0	■	■									
	2-050-70-0											
	2-051-70-0											
0.5-20 µl	2-053-96-0	■	■									
	2-053-70-0											
1-30 µl Gelloader	2-130-96-0											
	2-131-96-0											
1-100 µl Gelloader	2-132-96-0											
	2-133-96-0											
1-20 µl	2-124-96-0											
	2-114-96-0			■	■	■						
	2-124-70-0											
	2-114-70-0											
1-30 µl	2-116-96-0											
	2-126-96-0											
	2-126-70-0											
	2-116-70-0											
1-50 µl	2-111-96-0											
	2-121-96-0											
	2-121-70-0											
	2-111-70-0											
1-100 µl	2-112-96-0											
	2-122-96-0											
	2-122-70-0											
	2-112-70-0											
1-200 µl	2-113-96-0											
	2-123-96-0											
	2-123-70-0											
	2-113-70-0											
5-230 µl	2-115-96-0											
	2-125-96-0											
	2-125-70-0											
	2-115-70-0											
100-1000 µl short	2-209-06-0											
	2-210-06-0											
	2-209-70-2											
	2-210-70-2											
100-1000 µl long	2-201-96-0											
	2-211-96-0											
	2-211-70-0											
	2-201-70-0											



Information correct at time of printing.

Top-Line® Filter Tips Compatibility

with Biohit Pipettes

Pipettor		Biohit																																
Brand		Proline																																
Model		variable/single channel					fix/single channel					variable/ multi channel (8)	variable/ multi channel (12)	variable/ electronic single channel	*1	*2																		
Volume Range		0.5-10 µl	2-20 µl	5-50 µl	10-100 µl	20-200 µl	100-1000 µl	5 µl	10 µl	20 µl	25 µl	50 µl	100 µl	200 µl	250 µl	500 µl	1000 µl	2000 µl	5000 µl	0.5-10 µl	5-50 µl	50-300 µl	0.5-10 µl	5-50 µl	50-300 µl	5-100 µl	10-500 µl	50-1000 µl	100-5000 µl	5-100 µl	5-100 µl			
Volume		Top-Line® Filter Tips																																
Cat-No.	Volume																																	
2-000-96-0 2-001-96-0 2-000-70-0 2-001-70-0	0.1-10 µl																																	
2-060-96-0 2-061-96-0 2-060-70-0 2-061-70-0	0.1-10 µl XL																																	
2-050-96-0 2-051-96-0 2-050-70-0 2-051-70-0 2-052-96-0	0.5-10 µl																																	
2-053-96-0 2-053-70-0	0.5-20 µl																																	
2-130-96-0 2-131-96-0	1-30 µl Celloader																																	
2-132-96-0 2-133-96-0	1-100 µl Celloader																																	
2-124-96-0 2-114-96-0 2-124-70-0 2-114-70-0	1-20 µl																																	
2-116-96-0 2-126-96-0 2-126-70-0 2-116-70-0	1-30 µl																																	
2-111-96-0 2-121-96-0 2-121-70-0 2-111-70-0	1-50 µl																																	
2-112-96-0 2-122-96-0 2-122-70-0 2-112-70-0	1-100 µl																																	
2-113-96-0 2-123-96-0 2-123-70-0 2-113-70-0	1-200 µl																																	
2-115-96-0 2-125-96-0 2-125-70-0 2-115-70-0	5-230 µl																																	
2-209-06-0 2-210-06-0 2-209-70-2 2-210-70-2	100-1000 µl short																																	
2-201-96-0 2-211-96-0 2-211-70-0 2-201-70-0	100-1000 µl long																																	

*1 variable/ electronic multi channel (8)
 *2 variable/ electronic multi channel (12)



Top-Line® Filter Tips Compatibility

with Socorex Pipettes

Pipettor		Socorex									
Brand		Calibra digital 822 micro		Calibra digital 832 macro	Calibra digital 852 multi						
Model		variable/single channel		variable/single channel	variable/multi channel						
Volume Range		0.2-2 µl	1-10 µl	2-20 µl	10-100 µl	100-1000 µl	0.2-2 ml	1-10 ml	1-10 µl	10-100 µl	20-200 µl
Top-Line® Filter Tips											
Volume	Cat.No.										
0.1-10 µl	2-000-96-0										
	2-001-96-0										
	2-000-70-0										
	2-001-70-0										
0.1-10 µl XL	2-060-96-0										
	2-061-96-0										
	2-060-70-0										
	2-061-70-0										
0.5-10 µl	2-050-96-0										
	2-051-96-0	■									
	2-050-70-0										
	2-051-70-0										
0.5-20 µl	2-052-96-0										
	2-053-96-0	■									
1-30 µl Gelloader	2-130-96-0										
	2-131-96-0										
1-100 µl Gelloader	2-132-96-0										
	2-133-96-0										
1-20 µl	2-124-96-0										
	2-114-96-0		■	■	■	■					
	2-124-70-0										
	2-114-70-0										
1-30 µl	2-116-96-0										
	2-126-96-0										
	2-126-70-0										
	2-116-70-0										
1-50 µl	2-111-96-0										
	2-121-96-0										
	2-121-70-0										
	2-111-70-0										
1-100 µl	2-112-96-0										
	2-122-96-0										
	2-122-70-0										
	2-112-70-0										
1-200 µl	2-113-96-0										
	2-123-96-0										
	2-123-70-0										
	2-113-70-0										
5-230 µl	2-115-96-0										
	2-125-96-0										
	2-125-70-0										
	2-115-70-0										
100-1000 µl short	2-209-06-0										
	2-210-06-0										
	2-209-70-2										
	2-210-70-2										
100-1000 µl long	2-201-96-0										
	2-211-96-0										
	2-211-70-0										
	2-201-70-0										



Top-Line[®] Filter Tips Compatibility with HTL Pipettes

Pipettor	HTL																																																														
	Labmate pro						Clinipet*																																																								
	variable/single channel						fix/single channel																																																								
Brand																																																															
Model																																																															
Volume Range	0-2.2 µl (red)	0.5-10 µl (red)	2-20 µl (yellow)	10-100 µl (yellow)	20-200 µl (yellow)	100-1000 µl (blue)	1000-5000 µl (white)	2 µl (yellow)	5 µl (yellow)	7 µl (yellow)	10 µl (yellow)	15 µl (yellow)	20 µl (yellow)	25 µl (yellow)	30 µl (yellow)	40 µl (yellow)	44.7 µl (yellow)	50 µl (yellow)	60 µl (yellow)	70 µl (yellow)	75 µl (yellow)	80 µl (yellow)	90 µl (yellow)	120 µl (yellow)	150 µl (yellow)	200 µl (yellow)	200 µl (blue)	220 µl (blue)	250 µl (blue)	300 µl (blue)	400 µl (blue)	450 µl (blue)	500 µl (blue)	600 µl (blue)	700 µl (blue)	750 µl (blue)	800 µl (blue)	900 µl (blue)	1000 µl (blue)																								
Top-Line [®] Filter Tips																																																															
Volume	Cat-No.																																																														
0.1-10 µl							2-000-96-0		2-001-96-0																																																						
0.1-10 µl XL							2-060-96-0		2-061-96-0																																																						
0.5-10 µl							2-050-96-0		2-051-96-0		2-050-70-0		2-051-70-0		2-052-96-0																																																
0.5-20 µl							2-053-96-0		2-053-70-0																																																						
1-20 µl Gelloader							2-130-96-0		2-131-96-0																																																						
1-100 µl Gelloader							2-132-96-0		2-133-96-0																																																						
1-20 µl							2-124-96-0		2-114-96-0		2-124-70-0		2-114-70-0																																																		
1-30 µl							2-116-96-0		2-126-96-0		2-126-70-0		2-116-70-0																																																		
1-50 µl							2-111-96-0		2-121-96-0		2-121-70-0		2-111-70-0																																																		
1-100 µl							2-112-96-0		2-122-96-0		2-122-70-0		2-112-70-0																																																		
1-200 µl							2-113-96-0		2-123-96-0		2-123-70-0		2-113-70-0																																																		
5-230 µl							2-115-96-0		2-125-96-0		2-125-70-0		2-115-70-0																																																		
100-1000 µl short							2-209-06-0		2-210-06-0		2-209-70-2		2-210-70-2																																																		
100-1000 µl long							2-201-96-0		2-211-96-0		2-211-70-0		2-201-70-0																																																		

Filter Tips Compatibility



Information correct at time of printing.